



REEL POWER.

MANUFACTURING

PRODUCT

CATALOG

DF6 TURRET TRAILER AIR COMPRESSOR



PART #DF6-TTA



GVWR	14,640 lbs.
Payload Rating	8,440 lbs.
Reel Width	48"
Reel Diameter	60"
Trailer Length	21'
Trailer Width	97.5"
Tires	215/75R 17.5

Options: Tension Brake. Custom Colors.



HIGHLIGHTS

DF6 pusher

185cfm Sullair compressor built-in air cooler
22 HP Engine
Auxiliary hydraulic circuit
Gear-driven rewinder
(1) Self-Lock Turrets with 360 Degree Rotation
(1) 2 5/8 " Roller bar
(2) Locking collars with lifting eyes
(2) Centering cones
(2) 8K Oil bath electric brake axles
Side steps and Anti-slip decking
Pinless locking system

POLE CARGO REEL



GVWR	17,000 lbs.
Payload Rating	13,500 lbs.
Retracted Trailer Length	24.5'
Extended Trailer Length	38'
Trailer Width	97"
Tires	215/75R 17.5



HIGHLIGHTS

Full-width sealed toolbox
Fully sealed wire harness (no need to adjust when extending)
Self-locking rear door
Adjustable lengths 24'/31'/38'
Removable pole racks
(2) 8K axles with oil bath hubs
10K Jack
Galvanized finish

PART# PCR-40

PUSH CONDUCTOR INSTALLATION

COMPRESSOR TRAILER





THREE PLACE TURRET



JART #TTRT-84



GVWR	36,000 lbs.
Payload Rating	24,000 lbs.
Reel Width	60"
Reel Diameter	84"
Trailer Length	27'
Trailer Width	97.5"
Tires	235/75R 17.5



HIGHLIGHTS

14 HP Engine
Hydraulic Turret Drive Controls
(3) Self-Locking Turret 360 Degree Rotation
(3) 2 5/8 " Roller Bars
(6) Locking Collars with lifting eyes
(6) Centering cones
(2) 10K Front Hydraulic Jacks
(2) 8K Rear Jacks
(3) 12K Oil Bath Electric Brake Axles

Options: Tension Brake. Gear Driven Rewinder. Fair Leads. Auxiliary Hydraulic Circuit . Air Brakes. Capstan Winch . Custom Colors.

DOUBLE TURRET



GVWR	9,200 lbs.
Payload Rating	7,000 lbs.
Reel Width	56"
Reel Diameter	60"
Trailer Length	25'
Trailer Width	96"
Tires	15/75R 17.5



HIGHLIGHTS

(2) Self-Locking Turret 360 Degree Rotation
 (2) 2 5/8 "Roller Bars
 (4) Locking Collars with lifting eyes
 (4) Centering cones
 (1) 8k Oil Bath Electric Axles
 Pinless locking system

PART #DTRT-604

SINGLE TURRET





GVWR	14,800 lbs.
Payload Rating	10,000 lbs.
Reel Width	62"
Reel Diameter	96"
Trailer Length	16'
Trailer Width	102"
Tires	215/75R 17.5



HIGHLIGHTS

14 HP Engine
Hydraulic Turret Drive Controls
(1) Self-Locking Turret 360 Degree Rotation
(1) 2 5/8 " Roller Bars
(2) Locking Collars with lifting eyes
(2) Centering cones
10K Hydraulic Jack
(2) 8K Torsion axle with oil bath hubs
Pinless locking system

OPTIONS: Tension Brake. Gear-driven rewinder. Fair leads. Auxiliary Hydraulic Circuit. Custom Colors.

6 POSITION ELECTRIC HYDRAULIC



GVWR	9,140 lbs.
Payload Rating	8,000 lbs.
Reel Width	60"
Reel Diameter	120"
Trailer Length	13'
Trailer Width	96"
Tires	215/75R 17.5



HIGHLIGHTS

Electric Over Hydraulic Pump
-(Power up or Power down)
(1) 2 5/8 " Roller Bar
(2) Locking Collars
(2) Centering cones
(1) 8k Oil Bath Electric Axles
LED Lights and Electric Brakes
8K Manual Jack
Pinless locking system

PART #EHRB-6P



SLRT-17 SELF LOADING REEL



SINGLE REEL MANUAL



PART #5RM-110



GVWR	13,000 lbs.
Payload Rating	10,000 lbs.
Reel Width	62"
Reel Diameter	96"
Trailer Length	15'
Trailer Width	102"
Tires	215/75R 17.5



HIGHLIGHTS

14 HP Engine
(1) 2 5/8 " Roller Bar
(2) Locking Collars with lifting eyes
(2) Centering cones
(2) 8k Oil Bath Electric Axles
(1) 8K Manual Jack
Pinless locking system

OPTIONS: Gear-Driven Hydraulic Rewinder. Tensioning Brake. Hydraulic Quick Connects. Fair leads. Custom Colors.

SELF LOADING REEL



GVWR	9,500 lbs.
Payload Rating	
Reel Width	65"
Reel Diameter	120"
Trailer Length	15'
Trailer Width	102"
Tires	215/75R 17.5



HIGHLIGHTS

14 HP Engine
(1) 2 5/8 " Roller Bar
(2) Locking Collars with lifting eyes
(2) Centering cones
(1) 8K Torsion axle with oil bath hubs
(1) 8K Hydraulic jack
Pinless locking system

PART #5LRT-17

RALLY REEL STAND





Payload Rating	8,000 lbs30,000lbs.
Reel Width	54-85"
Reel Diameter	60-108"
Bar	2.625-5"



<u>HIGHLIGHTS</u>

(1) 2 5/8 " Roller Bars(2) Locking Collars with lifting eyes(2) Centering conesPinless locking system

OPTIONS: Tensioning Brake. 16-24" Gear-Driven Rewinder. 14 HP Engine. Custom Colors.

TRIPLE REEL



GVWR	60,000 lbs.
Payload Rating	45,000 lbs.
Reel Width	65"
Reel Diameter	96"
Trailer Length	35'
Trailer Width	102"
Tires	235/75R 17.5 Dually



HIGHLIGHTS

14 HP Engine
(3) Removable Reel Stand Frames
(3) 4" Bearing Bars
(6) Locking Collars with lifting eyes
(6) Centering cones
(4) 18K Hydraulic Jacks
(3) 22K Air Brake Axles
Pinless locking system


■ PART #TRT-315

MANUAL SINGLE TURRET











HIGHLIGHTS

(1) Self-Locking Turret 360 Degree Rotation

 (1) 2 5/8 " Roller Bars
 (2) Locking Collars with lifting eyes
 (2) Centering cones
 8K Manual Jack
 (1) 8K Torsion axle with oil bath hubs
 Pinless locking system

Options: 14 HP Engine. Hydraulic Turret Drive Controls. Gear-Driven Rewinder. Tension Brake. Fair Leads. Custom Colors.

DEALERS





RALLY TRAILER MFG.

RALLY TRAILERS & EQUIPMENT

Mona, Utah

Contact: Justus Penrod
Phone: 801-609-2620
Email: Sales@rallytrailermfg.com

PLUMETTAZ AMERICAN CORP

Soddy Daisy, Tennesse

Contact: Joel Westphal
Phone: 507-779-1340
Email: Joel.westphal@plumettaz.com

3 TEL QUIP

Florence, Texas

Contact: Larry Parker Phone: 512-966-1615 Email: larry@telquip.com

MORTHWEST HYDROVAC

Scappoose, Oregon

Contact: Nick Frappier
Phone: 503-396-9669
Email: nfrappier@nwhydrovac.com

6 ELEVATED SALES

Shelly, Idaho

Contact: Derek Penrod
Phone: 801-574-4766
Email: derek@elevatedtrailers.com



Reel Nork Starts Here

Get ready for a powerhouse experience! Engineered for maximum strength and driven by unwavering determination, we are here to elevate your productivity like never before. Our trailers, rigorously tested on real-life job sites, are built to conquer any challenge you put in front of them. Embrace the power!



